Report generated on July 21st, 2010








© 2004-2010 Vertical System inc. All rights reserved. Information of this report is to be only considered until the last update made by our services.

If you have questions concerning this document, you can contact us to (514) 578-3630 or send one email to info@verticalsystem.net.

You can also visit our web site : verticalsystem.net.

Server : DC ; domain.com




Recommendation : some local and roaming accounts which were removed are always available in the user profiles tab.

📍 no issues found, </u> action suggested, 🗮 immediate attention, 🔮 further investigation needed.



Server : SQL ; domain.com



📍 no issues found, 🔔 action suggested, 🗮 immediate attention, 🕜 further investigation needed.



Recommendations

DC: 192.168.0.10

System properties

- ✓ We recommend to change some options "System failure" in startup and recovery properties. "Kernel memory dump" is no longer analyzed by Microsoft and therefore should be set to "none".
- ✓ You can manage the amount of memory you would like to allocate for Virtual memory by entering the initial and maximum size.

We recommend to set initial and maximum size to the same value; it will prevent your server from fragmenting the paging file (see image below).

Paging file size for selected drive		
Drive:	C:	
Space available:	4941 MB	
Output of the state of the s		
Initial size (MB):	2046	
Ma <u>x</u> imum size (MB):	4092	
C System managed size		
C No paging file		Set

DHCP

DHCP server scope for : (192.168.0.75 - 192.168.0.240)

Information about DHCP use:

- **TOTAL** : 165
- IN USE : 140 (85%)
- AVAILABLE : 25 (15%)

Gateway (router) used by users on scope is 192.168.0.1.

Gateway used by DC server is 192.168.0.15.

✓ We need further information to check if these configurations are correct or not.

In DHCP options, the default lease duration for DHCP clients is X. We recommend Y because shorter lease times mean that addresses can be reused more frequently and any changes to the DHCP options can be updated on clients more rapidly.

We strongly recommend to configure conflict detection; number of attempts should be Z.







DNS

- domain.com .
- domain2.ca
- domain3.com

3 forwarders in DNS server are enough. In your configuration, we can read 6 forwarders. This option can be optimized.

OpenManage server administrator

Controller PERC 4/DC

Firmware version is out of date.

Controller PERC 4e/Di

Firmware version is out of date.

Active Directory

- Domain functional level : Windows server 2003.
- Forest functional level : Windows server 2008.

Roles : Some roles are setup to DC, some others to DC2. Further investigation could be done if needed. They could be all moved to DC.

Sites and services

In NTDS settings, Global Catalog are not enabled for DC2 and LADC.

ExternalSite2 site is empty.

We recommend to further investigate this information.





SQL: 192.168.0.11

System properties

- ✓ We recommend to change some options "System failure" in startup and recovery properties. "Complete memory dump" is no longer analyzed by Microsoft and therefore should be set to "none".
- ✓ You can manage the amount of memory you would like to allocate for Virtual memory by entering the initial and maximum size.

We recommend to set initial and maximum size to the same value; it will prevent your server from fragmenting the paging file.

and

✓ We recommend to change values for Processor scheduling and Memory usage.

Adjust for best performance of :

Processor scheduling	
Choose how to allocate processor resources.	
Adjust for best performance of:	
•	
Memory usage	
Choose how to allocate system memory.	
Adjust for best performance of:	

OpenManage server administrator







